Suppl. 1

Supplementary Data

This supplementary data is a part of paper entitled "Sesquiterpenoids from the Stem Bark of *Lansium domesticum* Corr. Cv. Kokossan and Their Cytotoxic Activity against MCF-7 Breast Cancer Cell Lines".

Table of Contents

Fig S1. FT-IR spectrum of 1 Fig S2. HR-TOFMS spectrum of 1 Fig S3. ¹H-NMR spectra of 1 (500 MHz in CDCl₃) Fig S4. ¹³C-NMR spectrum of 1 (125 MHz in CDCl₃) Fig S5. DEPT- 135° spectrum of 1 (125 MHz in CDCl₃) Fig S6. FTIR spectrum of 2 Fig S7. HRTOF-MS spectrum of 2 Fig S8. ¹H-NMR spectra of 2 (500 MHz in CDCl₃) Fig S9. ¹³C-NMR spectrum of 2 (125 MHz in CDCl₃) Fig S10. DEPT- 135° spectrum of 2 (125 MHz in CDCl₃) Fig S11. FTIR spectrum of 3 Fig S12. HRTOF-MS spectrum of 3 Fig S13. ¹H-NMR spectra of 3 (500 MHz in CDCl₃) Fig S14. ¹³C-NMR spectrum of 3 (125 MHz in CDCl₃) Fig S15. DEPT- 135° spectrum of 3 (125 MHz in CDCl₃) Fig S16. HSQC spectrum of 3 Fig S17. ¹H-¹H-COSY spectra of 3 Fig S18. HMBC spectrum of 3 Fig S19. NOESY spectra of 3



















